



# catalog

*medical examination, therapy and  
massage tables*




Novak M d.o.o.  
*the comforts of medicine*

Brezovce 7  
1236 Trzin  
Slovenija  
[www.novak-m.si](http://www.novak-m.si)  
e-mail: [info@novak-m.si](mailto:info@novak-m.si)

telephone: +386 1 5620117  
fax: +386 1 5620118

# s line

When you are attracted by NEW FORMS  
When every DETAIL is FUNCTIONAL  
When you wish for A NEW MATERIAL



Electric adjustment of height and table sections save time and reduce the risk of injury for personnel because they no longer physically move the table sections with patient on. We offer: **MIDDLE SECTIONS ELECTRIC ADJUSTMENT, FULLY ELECTRIC MODELS** and as an option a **BATTERY BACKUP** in case of power breakdown.




A **SAFETY FUNCTION** prevents being squeezed by the motors moving down.



A handset with **MEMORY FUNCTION** enables quick position adjustment by storing the most commonly used positions, which saves time and allows practitioner to be fully focused on a patient.




**INCREASED MAXIMUM TABLE LOAD (240 kg)** ensures safe use in case patient weighs a lot or with therapies where practitioner additionally burdens the table top with his own weight.



We offer four different types of upholstery:  
**BASIC** (4 cm) and **THICKER SEAMLESS** (DO; 6 cm) padding  
**THICK STITCHED** (STU; 6 cm) and **EXTRA THICK STITCHED** (STSU; 8 cm) padding for a wide range of use.

## POSITIONS

The construction of our tables enables different patient positions and ensures optimal working conditions and maximum patient comfort during therapies:  
**HALF-SITTING POSITION, SITTING POSITION, TRENDELENBURG, TREND/ANTI-TRENDELENBURG AND FLEXION POSITION.**




There are three breathing hole types used on the S line of tables: **OVAL** (OO1) breathing hole, **OBLONG** (OO2) breathing hole and **WIDE OBLONG** (OO3) breathing hole.



## NovakM Design Solution

Innovative cover is distinguished by its ergonomic and functional design. An arc, basic design characteristic, represents user-friendliness symbolically as well as practicably. Design itself leads us to the way circular switch is used and enables easy access and simple maintenance. Vast smooth surfaces implemented in shiny silver color emphasize the elegance and high quality of the product.



# EXAMINATION TABLE



...to examine and treat a patient



reddot design award



## DESCRIPTION




- hydraulic or electric height adjustment
- table width is 65 or 75 cm
- circular switch with electric model enables height adjustment from any side of the table
- easy head section adjustment
- -90° head section adjustment (only with PMS-N90)
- seamless padding (4 cm)
- table ensures maximum comfort
- base cover design enables free side access
- supplied with retractable castors (Ø 75 mm) to move at short distances
- variety of accessories
- upholstery available in more than 35 colors and 4 different materials

## MODEL


PMS

## ACCESSORIES

- DO – thicker seamless padding (6 cm)
- OOL – safety rails
- LE – fixation rail
- SIF – infusion stand
- NZR – armrest
- NZR1 – elevated armrest
- NZN – leg rest
- PVCS – PVC cover for leg section
- MOL – side table
- NZP3 – paper roll holder
- NZP3-Z – paper roll holder at the back
- OUZ – ultrasound cutout cushion
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- CK – castors with central locking system (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch



POSITIONS



OOL



VK2



PMS-N90




OUZ



LE





# EXAMINATION TABLE

SL

...to examine and treat a patient also in half-seated position

## DESCRIPTION




- hydraulic or electric height adjustment
- table width is 65 or 75 cm
- circular switch with electric model enables height adjustment from any side of the table
- easy head section adjustment
- seamless padding (4 cm)
- table ensures maximum comfort
- base cover design enables free side access
- supplied with retractable castors (Ø 75 mm) to move at short distances
- variety of accessories
- upholstery available in more than 35 colors and 4 different materials

## MODEL

PMSL

## ACCESSORIES

- DO – thicker seamless padding (6 cm)
- OOL – safety rails
- LE – fixation rail
- SIF – infusion stand
- NZR – armrest
- NZR1 – elevated armrest
- NZN – leg rest
- PVCS – PVC cover for leg section
- MOL – side table
- NZP3 – paper roll holder
- NZP3-Z – paper roll holder at the back
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- CK – castors with central locking system (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch




POSITIONS



NZR







# EXAMINATION TABLE

**SXL**

... with extra long head section to examine and treat a patient



## DESCRIPTION

- hydraulic or electric height adjustment
- table width is 65 or 75 cm
- circular switch with electric model enables height adjustment from any side of the table
- easy head section adjustment
- seamless padding (4 cm)
- table ensures maximum comfort
- base cover design enables free side access
- supplied with retractable castors (Ø 75 mm) to move at short distances
- variety of accessories
- upholstery available in more than 35 colors and 4 different materials

## MODEL


PMSXL

## ACCESSORIES


- DO – thicker seamless padding (6 cm)
- OOL – safety rails
- LE – fixation rail
- SIF – infusion stand
- NZR – armrest
- NZR1 – elevated armrest
- NZN – leg rest
- PVCS – PVC cover for leg section
- MOL – side table
- NZP3 – paper roll holder
- NZP3-Z – paper roll holder at the back
- OUZ – ultrasound cutout cushion
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- CK – castors with central locking system (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch




SIF



MOL





# EXAMINATION TABLE



...to examine and treat a patient also with lifted leg section



## DESCRIPTION




- hydraulic or electric height adjustment
- table width is 65 or 75 cm
- circular switch with electric model enables height adjustment from any side of the table
- easy head section and foot section adjustment enable trendelenburg position
- seamless padding (4 cm)
- table ensures maximum comfort
- base cover design enables free side access
- supplied with retractable castors (Ø 75 mm) to move at short distances
- variety of accessories
- upholstery available in more than 35 colors and 4 different materials

## MODEL

PMSP


## ACCESSORIES

- DO – thicker seamless padding (6 cm)
- OOL – safety rails
- LE – fixation rail
- SIF – infusion stand
- NZR – armrest
- NZR1 – elevated armrest
- NZN – leg rest
- PVCS – PVC cover for leg section
- MOL – side table
- NZP3 – paper roll holder
- NZP3-Z – paper roll holder at the back
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- CK – castors with central locking system (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch



## POSITIONS





# EXAMINATION TABLE



...to examine and treat a patient also in half-seated position or with lifted leg section

## DESCRIPTION


- hydraulic or electric height adjustment
- table width is 65 or 75 cm
- circular switch with electric model enables height adjustment from any side of the table
- easy head section and foot section adjustment enable trendelenburg position
- seamless padding (4 cm)
- table ensures maximum comfort
- base cover design enables free side access
- supplied with retractable castors (Ø 75 mm) to move at short distances
- variety of accessories
- upholstery available in more than 35 colors and 4 different materials


## MODEL

PMSLP

## ACCESSORIES

- DO – thicker seamless padding (6 cm)
- OOL – safety rails
- LE – fixation rail
- SIF – infusion stand
- NZR – armrest
- NZR1 – elevated armrest
- NZN – leg rest
- PVCS – PVC cover for leg section
- MOL – side table
- NZP3 – paper roll holder
- NZP3-Z – paper roll holder at the back
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- CK – castors with central locking system (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch





# EXAMINATION TABLE

S3

... three-section examination table for wide range of use

## DESCRIPTION




- hydraulic or electric height adjustment
- table width is 65 or 75 cm
- circular switch with electric model enables height adjustment from any side of the table
- easy back and leg section adjustment, sitting section is fixed
- seamless padding (4 cm)
- table ensures maximum comfort
- base cover design enables free side access
- supplied with retractable castors (Ø 75 mm) to move at short distances
- variety of accessories
- upholstery available in more than 35 colors and 4 different materials

## MODEL

PMS3


## ACCESSORIES

- DO – thicker seamless padding (6 cm)
- LE – fixation rail
- SIF – infusion stand
- NZP3 – paper roll holder
- NZP3-Z – paper roll holder at the back
- AC – antistatic castors (Ø 75 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch



POSITIONS





# MASSAGE TABLE



...for any kind of massages and physiotherapy treatments

## DESCRIPTION


- stable table with level top
- table width is 65 or 75 cm
- hydraulic or electric height adjustment
- circular switch with electric model enables height adjustment from any side of the table
- easy head section adjustment
- -90° head section adjustment (only with MMS-N90)
- thicker seamless padding (6 cm)
- oval, oblong or wide oblong breathing hole
- base cover design enables free side access
- supplied with retractable castors (Ø 75 mm) to move at short distances
- variety of accessories
- upholstery available in more than 35 colors and 4 different materials


## MODEL

MMS

## ACCESSORIES

- COO – breathing hole plug
- TVL – three-part head section
- KR – folding side armrests
- STU – stitched padding (6 cm)
- STSU – stitched padding - extra thick (8 cm)
- PVCS – PVC cover for leg section
- NZP3 – paper roll holder
- NZP3-Z – paper roll holder at the back
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch





# MASSAGE TABLE

SL

...with elongated head section to perform massages and physiotherapy treatments also in half-seated position

## DESCRIPTION




- stable table with level top
- table width is 65 or 75 cm
- hydraulic or electric height adjustment
- circular switch with electric model enables height adjustment from any side of the table
- easy head section adjustment
- thicker seamless padding (6 cm)
- oval, oblong or wide oblong breathing hole
- base cover design enables free side access
- supplied with retractable castors (Ø 75 mm) to move at short distances
- variety of accessories
- upholstery available in more than 35 colors and 4 different materials

## MODEL


MMSL

## ACCESSORIES

- COO – breathing hole plug
- STU – stitched padding (6 cm)
- STSU – stitched padding - extra thick (8 cm)
- PVCS – PVC cover for leg section
- NZP3 – paper roll holder
- NZP3-Z – paper roll holder at the back
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch



POSITIONS



# MASSAGE TABLE

**SXL**

... with extra long head section to perform massages and physiotherapy treatments in different positions

## DESCRIPTION

- stable table with level top
- table width is 65 or 75 cm
- hydraulic or electric height adjustment
- circular switch with electric model enables height adjustment from any side of the table
- easy head section adjustment
- thicker seamless padding (6 cm)
- oval, oblong or wide oblong breathing hole
- base cover design enables free side access
- supplied with retractable castors (Ø 75 mm) to move at short distance
- variety of accessories
- upholstery available in more than 35 colors and 4 different materials

## MODEL

MMSXL




## ACCESSORIES

- COO – breathing hole plug
- STU – stitched padding (6 cm)
- STSU – stitched padding - extra thick (8 cm)
- PVCS – PVC cover for leg section
- NZP3 – paper roll holder
- NZP3-Z – paper roll holder at the back
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch




RS

NZP3



POSITIONS



# MASSAGE TABLE



...fully equipped to perform any kind of massages and physiotherapy treatments

## DESCRIPTION



- stable table with level top
- table width is 65 or 75 cm
- electric height adjustment
- circular switch enables height adjustment from any side of the table
- oval, oblong or wide oblong breathing hole with a matching plug
- three-part head section
- stitched padding (6 cm), thick also at the sides of table top
- folding side armrests
- base cover design enables free side access
- supplied with retractable castors (Ø 75 mm) to move at short distances
- upholstery available in more than 35 colors and 4 different materials

## MODEL


MMS-ex

## ACCESSORIES

- STSU – stitched padding - extra thick (8 cm)
- PVCS – PVC cover for leg section
- NZP3-Z – paper roll holder at the back
- AC – antistatic castors (Ø 75 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch










# THERAPY TABLE



...basic therapy table to perform therapy in different positions



POSITIONS

## DESCRIPTION


- hydraulic or electric height adjustment
- table width is 65 or 75 cm
- hand adjustable head and leg section, back section is fixed
- leg section adjustment enables seated position
- circular switch enables height adjustment from any side of the table
- thicker seamless padding (6 cm)
- oblong, oval or wide oblong breathing hole
- base cover design enables free side access
- supplied with retractable castors (Ø 75 mm) to move at short distances
- variety of accessories
- upholstery available in more than 35 colors and 4 different materials



## MODEL

TMS

## ACCESSORIES

- COO – breathing hole plug
- TVL – three-part head section
- OOL – safety rails
- LE – fixation rail
- SIF – infusion stand
- NZR – armrest
- NZR1 – elevated armrest
- NZN – leg rest
- PVCS – PVC cover for leg section
- MOL – side table
- NZP6 – paper roll holder
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch





NZP6







TVL

# THERAPY TABLE



...basic therapy table enables also trendelenburg position



POSITIONS

## DESCRIPTION

- hydraulic or electric height adjustment
- table width is 65 or 75 cm
- all three sections of the table are hand adjustable
- leg section adjustment enables seated position
- circular switch enables height adjustment from any side of the table
- thicker seamless padding (6 cm)
- oblong, oval or wide oblong breathing hole
- base cover design enables free side access
- supplied with retractable castors (Ø 75 mm) to move at short distances
- variety of accessories
- upholstery available in more than 35 colors and 4 different materials



## MODEL

TMSP

## ACCESSORIES

- COO – breathing hole plug
- TVL – three-part head section
- PVCS – PVC cover for leg section
- NZP6 – paper roll holder
- AC – antistatic castors (Ø 75 mm or Ø 125 mm)
- VK2 – individually lockable castors (Ø 125 mm)
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch
- EVVS – control safety switch






# THERAPY TABLE

S3

...three-section therapy table to perform various therapies



POSITIONS

## DESCRIPTION

- handset with memory function for electric adjustment of height, back and seat section
- table width is 65 or 75 cm
- circular switch enables height adjustment from any side of the table
- table ensures maximum comfort
- thicker seamless padding (6 cm)
- oblong, oval or wide oblong breathing hole
- base cover design enables free side access
- supplied with retractable castors (Ø 75 mm) to move at short distances
- variety of accessories
- upholstery available in more than 35 colors and 4 different materials


## MODEL

TMS3

## ACCESSORIES

- COO – breathing hole plug
- TVL – three-part head section
- DND – divided leg section
- STU – stitched padding (6 cm)
- STSU – stitched padding - extra thick (8 cm)
- LE – fixation rail
- SIF – infusion stand
- NZR – armrest
- NZR1 – elevated armrest
- NZN – leg rest (pair)
- PVCS – PVC cover for leg section
- MOL – side table
- NZP6 – paper roll holder
- AC – antistatic castors (Ø 75 mm)
- ME2 – increased lifting capacity (240 kg)
- BB – battery backup






# THERAPY TABLE

S4

...four-section therapy table to perform various therapies



POSITIONS

## DESCRIPTION

- handset with memory function for electric adjustment of height, back and seat section
- table width is 65 or 75 cm
- circular switch enables height adjustment from any side of the table
- table ensures maximum comfort
- thicker seamless padding (6 cm)
- oblong, oval or wide oblong breathing hole
- base cover design enables free side access
- supplied with retractable castors (Ø 75 mm) to move at short distances
- variety of accessories
- upholstery available in more than 35 colors and 4 different materials

## MODEL



TMS4

## ACCESSORIES

- COO – breathing hole plug
- TVL – three-part head section
- DND – divided leg section
- STU – stitched padding (6 cm)
- STSU – stitched padding - extra thick (8 cm)
- LE – fixation rail
- SIF – infusion stand
- NZR – armrest
- NZR1 – elevated armrest
- NZN – leg rest
- PVCS – PVC cover for leg section
- MOL – side table
- NZP6 – paper roll holder
- AC – antistatic castors (Ø 75 mm)
- ME2 – increased lifting capacity (240 kg)
- BB – battery backup











# THERAPY TABLE

**S8** osteo

...fully equipped top quality table to perform osteopathy and other therapies



POSITIONS

## DESCRIPTION

- handset with memory function for electric adjustment of height, back and seat section
- table width is 65 or 75 cm
- circular switch enables height adjustment from any side of the table
- oblong, oval or wide oblong breathing hole with a matching plug
- three-part head section
- stitched padding (6 cm), thick also at the sides of table top
- folding side armrests are integrated in the back section for easy access to the patient
- supplied with retractable castors (Ø 75 mm) to move at short distances
- upholstery available in more than 35 colors and 4 different materials


## MODEL

TMS8-os

## ACCESSORIES

- DND – divided leg section
- STSU – stitched padding - extra thick (8 cm)
- SIF – infusion stand
- PVCS – PVC cover for leg section
- NZP6 – paper roll holder
- AC – antistatic castors (Ø 75 mm)
- ME2 – increased lifting capacity (240 kg)
- BB – battery backup






# THERAPY TABLE

**S8** osseo  
luxury

...fully equipped table with complete electric adjustment to perform osteopathy and other therapies



POSITIONS

## DESCRIPTION


- handset with memory function for electric adjustment of height and all four table sections
- table width is 65 or 75 cm
- circular switch enables height adjustment from any side of the table
- oblong, oval or wide oblong breathing hole with a matching plug
- three-part head section
- stitched padding (6 cm), thick also at the sides of table top
- folding side armrests are integrated in the back section for easy access to the patient
- supplied with retractable castors (Ø 75 mm) to move at short distances
- increased lifting capacity (240 kg)
- battery backup
- upholstery available in more than 35 colors and 4 different materials

## MODEL

TMS8-os-lux


## ACCESSORIES

- STSU – stitched padding - extra thick (8 cm)
- SIF – infusion stand
- NZP6 – paper roll holder
- AC – antistatic castors (Ø 75 mm)



NZP6









# THERAPY TABLE

S8

exclusive

...equipped top quality table to perform various therapies



POSITIONS

## DESCRIPTION


- handset with memory function for electric adjustment of height and all four table sections
- table width is 65 or 75 cm
- circular switch enables height adjustment from any side of the table
- oblong, oval or wide oblong breathing hole with a matching plug
- three-part head section
- stitched padding (6 cm), thick also at the sides of table top
- folding side armrests on back section
- supplied with retractable castors (Ø 75 mm) to move at short distances and
- upholstery available in more than 35 colors and 4 different materials

## MODEL


TMS8-ex

## ACCESSORIES

- DND – divided leg section
- STSU – stitched padding - extra thick (8 cm)
- SIF – infusion stand
- PVCS – PVC cover for leg section
- NZP6 – paper roll holder
- AC – antistatic castors (Ø 75 mm)
- ME2 – increased lifting capacity (240 kg)
- BB – battery backup









# THERAPY TABLE

S8

luxury

... equipped table with complete electric adjustment to perform various therapies



POSITIONS

## DESCRIPTION

- handset with memory function for electric adjustment of height and all four table sections
- table width is 65 or 75 cm
- circular switch enables height adjustment from any side of the table
- oblong, oval or wide oblong breathing hole with a matching plug
- three-part head section
- stitched padding (6 cm), thick also at the sides of table top
- folding side armrests on back section
- supplied with retractable castors (Ø 75 mm) to move at short distances
- increased lifting capacity (240 kg)
- battery backup
- upholstery available in more than 35 colors and 4 different materials

## MODEL


TMS8-lux

## ACCESSORIES

- TSU – stitched padding - extra thick (8 cm)
- SIF – infusion stand
- NZP6 – paper roll holder
- AC – antistatic castors (Ø 75 mm)

## SURGERY TABLE S

- Modify the fully electric S8 luxury table to suit your needs for surgeries: different dimensions, cutouts, PU seamless covers, memory foam padding, accessories and other. Please inquire about the possibilities.
- Areas of use: plastic surgery, aesthetic surgery, hair transplant, arthroscopy, proctology, ENT, orthopedics etc...





NZP6





TOP VIEW



RS



# BOBATH



...stable table for rehabilitation

## DESCRIPTION




- electric height adjustment
- one or two section table
- table width is 90, 100, 110 or 120 cm
- lifting capacity is 240 kg
- circular switch enables height adjustment from any side of the table
- thicker seamless padding (6 cm)
- supplied with retractable castors (Ø 75 mm) to move at short distances
- upholstery available in more than 35 colors and 4 different materials

## MODEL

BMS


## ACCESSORIES

- AC – antistatic castors (Ø 75 mm)
- RS – handset
- NS – foot switch



POSITIONS





# TRANSPORT TABLE

SL

...basic table to admit, transport and treat urgent patients

## DESCRIPTION



- hydraulic or electric height adjustment
- table width is 55 or 65 cm
- circular switch with electric model enables height adjustment from any side of the table
- easy head section adjustment
- thicker seamless padding (6 cm)
- stainless steel safety rails on both sides
- Ø 125 mm castors with central locking system
- base cover design enables free side access
- supplied with bumpers and push handles
- variety of accessories
- three x-ray permeable zones
- upholstery available in more than 35 colors and 4 different materials

## MODEL


TRMSL

## ACCESSORIES

- SIF – infusion stand
- LE – fixation rail
- NZR – armrest
- NZR1 – elevated armrest
- MOL – side table
- NZP3 – paper roll holder
- NZP3-Z – paper roll holder at the back
- ME1 – increased lifting capacity (240 kg)
- RS – handset
- NS – foot switch



POSITIONS



NZP-STR



SIF-STR

# STRETCHER



...to admit, transport and treat urgent patients

## DESCRIPTION

- hydraulic height adjustment
- table width is 64 or 74 cm
- lifting capacity is 240 kg
- x-ray permeable
- Ø 200 mm castors with central locking system
- stainless steel safety rails on both sides
- personal storage space and oxygen bottle holder are integrated into the base
- PU coating resistant to blood, urine, oil, fat and disinfectants




## MODEL

STRS

## ACCESSORIES

- SIF-STR – infusion stand
- LE6 – fixation rail
- NZP-STR – paper roll holder
- MH – monitor holder
- PK – fifth wheel
- AC-STR – antistatic wheel



POSITIONS







Day Hospital Chair Q  
MULTIFUNCTIONAL CHAIR ROTATION IS THE SOLUTION FOR  
PATIENT HANDLING, TRANSFER AND TREATMENT IN OUTPATIENT  
ENVIRONMENTS.

#### 1 admission

Low and safe position of the chair allows the patient to settle on the chair with little or no help of the personnel.

#### 2 transfer

The patient can be transferred from room to room or longer distances easily. A small footprint, double castor system, push handles and integrated automatic cable winder make the chair extremely maneuverable and easy to handle.

#### 3 preparation

An advanced control unit makes the chair adjustment extremely quick and easy. Free side access and adjustable height of the chair enables the personnel to work in an ergonomic position.

#### 4 procedure


Blocked chair provides a sturdy and adjustable procedural surface with good access to the patient for simple and more complex same-day surgeries. Quickly accessible buttons allow further fine tuning to optimize appropriate patient position.

#### 5 recovery

The chair offers first class comfort during post-operative care and relaxation. As no patient transfer is needed, the risk of patient and staff injuries is reduced.

#### 6 discharging


The chair is transferred out of the recovery room and automatically lowered into position for the patient to leave easily and safely.



#### Special clinic benefits:

- no physical patient transfer
- reduced risk of injuries for patient and personnel
- less laundry, cleaning and disinfections
- reduced equipment storage and less inventory
- simpler infection control





## DESCRIPTION

- full electric adjustment of height and all four sections of the chair
- pre-setting of three basic positions, two SOS positions and two additional favorite positions of the chair
- simultaneous head section adjustment
- trendelenburg and antitrendelenburg position
- smaller overall chair dimensions to save over 40% of floor space
- double castors with central locking system ( $\Phi$  150 mm), two antistatic, provide for perfect mobility and easy handling
- push handles at the back
- anatomically designed removable padding with memory foam and seamless endings
- PU coating resistant to blood, urine, oil, fat and disinfectants  
(available in white, black (antistatic) and navy)
- covers for better protection and easier maintenance and cleaning
- maximum stability of the chair in any position (max load 240 kg)
- built in battery backup
- integrated automatic cable winder

## MODEL

DHCQ




## ACCESSORIES

- RL – LED reading lamp
- SIFQ – infusion stand
- MSR – multifunctional arm board / table and fixation rails (pair)
- LEQ – fixation rail
- HCQ – head cushion Q
- NZPQ – paper roll holder
- MKQ – retractable castoring system
- PVCQ – PVC cover for leg section


# DAY HOSPITAL CHAIR



... a professional support to have all the work done in one place



630 / 980



## POSITIONS



MSR



SIFQ



LEQ



RL



NZPQ





Dialysis Chair Q IS A SMART AND THE MOST COMFORTABLE SOLUTION FOR LONG LASTING THERAPIES. THE HIGH-TECH CONTROL UNIT ENABLES SETTING FOR OVER 85% OF ALL TREATMENTS WITH A SIMPLE 3-BUTTON OPERATION.



**“easy access”** position (1)

Low position of the chair and adjustable armrests make the patient’s access smooth and safe.



**“setting a therapy”** position (2) and additional adjustments

Quick and easy adjustment of the chair and side access reduce preparation time and offers optimal working conditions for the personnel setting a therapy.





**“therapy in progress”** position (3)

First-class comfort and privacy during long lasting therapy is guaranteed. Patients can adjust the chair position from sitting upright to lying flat, while the armrests and footrest adjust automatically according to the patient’s position and size. Wide and long padding and discreet reading lamp make the patient’s stay even more comfortable.




**quick-access emergency buttons** (SOS)

In case of emergency there are two pre-stored positions: recovery position and CPR position. By pressing a single button the chair is automatically set properly.



**Special clinic benefits:**



- easy-to clean protective covers
- removable smooth padding
- less laundry, cleaning and disinfections
- simpler infection control
- saving up to 40% of floor space compared to a hospital bed
- reduced equipment storage and less inventory



# DIALYSIS CHAIR



... focus on the patient, leave the rest to the chair



POSITIONS



## DESCRIPTION

- full electric adjustment of height, all four sections and footrest with an advanced control unit:
  - pre-setting of three basic positions:
    - arrival and easy access
    - setting a therapy
    - therapy in progress
  - pre-setting of two SOS positions
  - memory function to store two additional favorite positions
- smaller overall chair dimensions to save up to 40% of floor space
- automatic armrest and footrest adjustability to provide optimal position of the patient during treatment
- retractable castors to move at short distance
- maximum stability of the chair in any position
- anatomically designed removable padding with memory foam and seamless endings
- PU coating resistant to blood, urine, oil, fat and disinfectants (available in white, black (antistatic) and navy)
- simultaneous head section adjustment
- covers for better protection and easier maintenance and cleaning
- built in battery backup

## MODEL

DCQ

## ACCESSORIES

- RL – LED reading lamp
- SIFQ – infusion stand
- CKQ – double castors with central locking system and integrated automatic cable winder
- PH – push handles
- HCQ – head cushion Q
- NZPQ – paper roll holder
- PVCQ – PVC cover for Q line

SOS positions



NZPQ



CKQ




RL



SIFQ








At first there was emptiness...we listened to your wishes and needs...we've been drawing the first lines and searching for innovative solutions since 1979 ... outcome?

# N line











... The chair **SPEEDS UP YOUR WORK** as it shortens the time needed to prepare a patient for examination with its **SIMPLE USE** and **INNOVATIVE SOLUTIONS. THOUGHTFULLY DESIGNED DETAILS** enable gynaecologists to **WORK UNDISTURBED** and to **REACH PATIENTS FREELY** from all sides. Along with minimum use of disinfectants, the chair design enables effective achievement of **HYGIENE STANDARDS**.

# GYNAECOLOGY CHAIR

N



POSITIONS

## DESCRIPTION

- "DUO" or "CLASSIC" leg rests
- "DUO" leg rest allow for vaginal examination as well as abdominal examination with legs extended without any chair adjustments.
- By pressing only one button the chair automatically sets into position for examination or patient access. And together with height and back rest adjustment, the chair ensures our wishes and needs are provided for.
- The chair can be equipped with legs (STEADY) or individually lockable castors (READY).
- thicker seamless padding (6 cm)
- upholstery available in more than 35 colors and 4 different materials


## MODEL

GYN

## ACCESSORIES

- STU1 – stitched upholstery with memory foam (8 cm)
- STSU1 – stitched upholstery with memory foam (12 cm)
- COLH – colposcope holder
- PVC-GYN – PVC cover for seating section
- PVC-DUO – PVC cover for "DUO" leg rests










... When **COMFORT IS THE PRIORITY** also during long lasting therapies. Therapy chair with its **NUMEROUS FUNCTIONS** and **USER BASED CONFIGURATION** ensures well being of patients as well as of staff.

# THERAPY CHAIR

N



POSITIONS

## DESCRIPTION

- Comfort in all positions is ensured by »UP & OUT« leg rests. When lowering the chair, leg section shrinks and enables patients to access easily. When adjusting into lying position, leg section lengthens and offers patient maximum comfort during therapy.
- In order to meet your needs, Therapy chair N is available in two varieties differing in adjustment:  
**TYN-sinhro**, back and leg section move synchronously, and **TYN-free**, back and leg section move independently.
- with both varieties the base can be equipped with legs (STEADY), individually lockable castors (READY) or castors with central locking system (GO).
- adjustable arm rests and support handles are attached to fixation rail (-LE) or to chair directly
- paper roll holder
- push handles (models with castors)
- thicker seamless padding (6 cm)
- upholstery available in more than 35 colors and 4 different materials


## MODEL

TYN

## ACCESSORIES

- STU1 – stitched upholstery with memory foam (8 cm)
- STSU1 – stitched upholstery with memory foam (12 cm)
- SIF5 – infusion pole
- RL2 – LED reading light
- MOL1 – nutrition/reading table (approx. 63 x 42 cm)
- MOL2 – instrument table (60 x 40 cm)
- MOL3 – instrument table (35 x 25 cm)
- FR – foot rest (only for TYN-free)
- PVC-TYN – PVC cover for leg section
- HCN – head cushion N
- WTYN – wider chair for 10 cm









... The chair intended **FOR SMALL PROCEDURES IN LABORATORY** enables **EASY ACCESS** due to **LOW POSITION** and **SUPPORT HANDLE**, which can be moved or totally removed with -LE- models. By pressing a **SHOCK LEVER**, the chair is quickly set into trendelenburg position. With its design and details the chair seems **SLIM** and **TAKES LITTLE SPACE**. Due to **SMOOTH SURFACES** and serially mounted **PAPER ROLL HOLDER** hygiene maintenance is simple and effective.

# BLOODSAMPLE CHAIR

N



POSITIONS

## DESCRIPTION

- Easy- adjustable arm rests are comfortable and pleasant to touch as well as easy to clean and maintain.
- adjustable arm rests and support handles are attached to fixation rail (-LE) or to chair directly
- Patients settle easily thanks to low chair position and removable support handles.
- The chair is easily set into trendelenburg position by a shock lever. The lever is pushed by foot so that hands stay free to help the patient.
- The chair can be equipped with legs (STEADY) or individually lockable castors (READY).
- thicker seamless padding (6 cm)
- upholstery available in more than 35 colors and 4 different materials

## MODEL

BON


## ACCESSORIES

- STU1 – stitched upholstery with memory foam (8 cm)
- STSU1 – stitched upholstery with memory foam (12 cm)
- SIF5 – infusion pole
- PVC-BON – PVC cover for leg section
- HCN – head cushion N

READY

SOS  
positions





PVC-  
TYN

... The chair with **POWER ADJUSTABLE HEIGHT, BACK and LEG SECTIONS** offers perfect comfort during therapy and leg treatment. **COMFORTABLE and STRONG ARM RESTS** follow the moving of back section, while **LEG RESTS** are **LENGTH ADJUSTABLE**.

# PODIATRY CHAIR

N



POSITIONS

## DESCRIPTION

- the chair ensures optimal working height (high position to work while standing or lower position to work while sitting)
- power adjustable leg rests
- chair in flat position can serve also as an examination table
- thicker seamless padding (6 cm)
- upholstery available in more than 35 colors and 4 different materials

## MODEL


PON

## ACCESSORIES

- STU1 – stitched upholstery with memory foam (8 cm)
- STSU1 – stitched upholstery with memory foam (12 cm)










# ENT / NEURO CHAIR

N

... for optimal ENT and neurological examination and treatment of adults and children



POSITIONS

## DESCRIPTION


- Electrically adjustable chair on legs (STEADY) or with lockable castors (READY)
- Back and leg sections are independently adjustable (FREE).
- ENT head rest is adjustable in multiple directions and can support the head of an adult or a child.
- Armrests adjust to the movement of the back section and enable minor positional changes.
- UP & OUT leg rests lengthen in a high position and shrink in a low position. Low position of the chair enables an easy access, while the lengthened leg rests offer a patient maximum comfort during therapy.
- Easy setting into trendelenburg position.
- Smooth and seamless padding's surface (6 cm) and easily accessible paper roll holder permit efficient cleaning with minimal use of disinfectants.
- upholstery available in more than 35 colors and 4 different materials


## MODEL

ENT

## ACCESSORIES

- STU1 – stitched upholstery with memory foam (8 cm)
- STSU1 – stitched upholstery with memory foam (12 cm)
- SIF5 – infusion pole
- PVC-TYN – PVC cover for leg section





## complementary product

accessories creating better working conditions  
harmony of color and design characterizes our equipment

# SURGEON STOOL

... antistatic stool with foot operated pneumatic height control to allow hands free adjustment of the seat height for surgeon

### DESCRIPTION

- comfortable stool with foot operated pneumatic height control
- 360° swivel
- chrome-plated stool base and foot ring
- antistatic upholstery in black
- five antistatic castors ensure perfect stability and mobility
- dimensions:  
base diameter: 53 cm  
seat diameter: 36 cm  
seat height: adjust from 48 to 61 cm

### MODEL

- OP (surgeon stool without backrest)
- OPN (surgeon stool with backrest)



# MEDICINE STOOLS

...for maximum comfort while working and complete harmonisation of working space

## DESCRIPTION

- extremely comfortable stool with height adjustment ensures perfect comfort while working
- upholstery available in more than 35 colors and 4 different materials
- chrome-plated stool base
- 360° swivel
- five castors coated in rubber ensure perfect stability and mobility
- also possible with rubber feet instead of castors
- dimensions (SO,SON):  
base diameter: 54 cm  
seat diameter: 36 cm  
seat height: adjust from 46 to 58 cm
- dimensions (SZ, SZN):  
base diameter: 62 cm  
seat diameter: 36 cm  
seat height: adjust from 51 to 60 cm

## MODEL

- SO (round base, without backrest)
- SON (round base, with backrest)
- SZ (star base, without backrest)
- SZN (star base, with backrest)

## ACCESSORIES

- NO – rubber feet for SO/SON
- NZ – rubber feet for SZ/SZN
- HO – higher stool SO/SON (53-73 cm)
- HZ – higher stool SZ/SZN (62-82 cm)



# INFUSION STAND S

...self-standing, wide range use

## DESCRIPTION

- stand includes four hooks with safety bending (holds 2kg per/ hook)
- frame is made of stainless steel
- drip glass with holder
- base with five Ø 50 mm castors (two antistatic and lockable)
- screw height adjustment from 135 cm to 215 cm
- base diameter is 63,5 cm

## MODEL

SZI-S



# SINGLE AND DOUBLE STEP

...stable to provide easy access

## DESCRIPTION

- surfaces are coated in rubber
- frame is made of chrome plated steel tubes
- single step dimension (ES): L x W x H: 50 x 25 x 22 cm
- double step dimension (DS): L x W x H: 50 x 50 x 39 cm

## MODEL

ES (single step)  
DS (double step)



# ROLL, HALFROLL

...accessories to provide perfect support for your patient during therapy

## DESCRIPTION

- upholstery available in more than 35 colors and 4 different materials
- roll dimensions: 15 x 60 cm
- half roll dimensions: 12 x 24 x 60 cm

## MODEL

BV1 (roll)  
BPV1 (halfroll)





# FACE CUSHION

... gently cradles your face during massage



Face comfort contributes greatly to perfect comfort.  
Body relaxation increases therapy effects.  
The cushion was thoughtfully designed to prevent  
undesired creases on the face when lying face-down.  
It fits all Novak M's massage and therapy tables.

**MODEL:** OB

- memory foam conforms to the shape of a face and after each use reshapes to its default position
- textile cover is available in white and blue and is skin friendly
- cover made of 97% cotton and 3% elastane
- dimensions: 25 x 30 x 5 cm




## color chart

... when you need more colors

There are four different upholstery materials of high quality simulated leather for tables used in hospitals, wellness and beauty centers to choose from. The material can be resistant to blood, urine, disinfectants, salt water, UV rays, microorganisms and mould. Their maintenance is easy; they are all waterproof and flame retardant according to international standards. Their elasticity and suppleness offer an outstanding lying and seating comfort during treatment.


# color chart 1

imitation leather colors  
(atn-07, 08)




# color chart 2

imitation leather colors  
(ferrari-stamskin® top)




# color chart 3

imitation leather colors  
(skai®-plata)



# color chart 4

imitation leather colors  
(skai®-palma)



Novak M d.o.o.  
*the comforts of medicine*

Brezovce 7  
1236 Trzin  
Slovenija  
[www.novak-m.si](http://www.novak-m.si)  
e-mail: [info@novak-m.si](mailto:info@novak-m.si)

telephone: +386 1 5620117  
fax: +386 1 5620118